

Table A-15

Percent of All Women Using Contraception, by Method: All Available Years

[Data refer to ages 15 to 49 years unless specified otherwise. Data by method may not add to all methods due to rounding.]

Region, country or area, and year	No method	All methods	Pill	IUD	Condom	Sterilization		Other modern	Traditi- onal	Other	Source	Remarks
						Male	Female					
AFRICA												
Sub-Saharan Africa												
Benin												
1996	83.2	16.8	1.0	0.4	1.0	(NA)	0.3	0.6	13.4		DHS	
Botswana												
1984	76.5	23.5	8.5	4.1	1.0	(Z)	1.2	1.2	7.5		CPS	
1988	70.4	29.6	17.6	4.4	1.3	0.1	2.2	3.2	0.8		DHS	
1996	58.3	41.7	17.7	3.1	11.3	(Z)	2.4	6.0	1.2		Survey	
Burkina Faso												
1993	92.3	7.7	2.0	0.7	0.9	(NA)	0.3	0.2	3.6		DHS	
1998-99	88.0	12.0	1.7	0.4	2.5	(NA)	(NA)	1.3	6.2		DHS	
Burundi												
1987	93.6	6.4	0.2	0.2	0.1	(NA)	0.1	0.5	5.4		DHS	
Cameroon												
1991	80.3	19.7	1.2	0.3	1.0	(NA)	1.1	0.7	15.5		DHS	
1998	76.0	24.0	1.9	0.5	3.5	(NA)	1.2	0.9	16.0		DHS	
Cape Verde												
1998	63.3	36.7	14.2	2.5	3.7	(Z)	6.7	5.5	4.1		Survey	
Central African Republic												
1994-95	85.9	14.1	1.1	(Z)	1.4	(NA)	0.4	0.5	10.2		DHS	
Chad												
1996-97	96.1	3.9	0.6	(NA)	0.3	(NA)	0.1	0.2	2.6		DHS	
Comoros												
1996	86.2	13.8	1.9	0.2	1.6	1.0	1.6	2.5	6.1		DHS	
Côte d'Ivoire												
1994	83.5	16.5	2.5	(NA)	4.9	(NA)	(NA)	1.3	10.8		DHS	
Eritrea												
1995	94.1	5.9	1.5	0.4	0.3	0.1	0.2	0.6	2.8		DHS	
Ghana												
1988	87.7	12.3	1.6	0.5	0.3	(NA)	0.9	1.4	7.6		DHS	
1993	81.1	18.9	2.8	0.7	2.6	(NA)	0.8	2.3	9.6		DHS	
1998	82.0	18.0	3.1	0.5	2.8	(Z)	0.9	3.3	7.4		DHS	
Guinea												
1992	97.3	2.7	0.8	(NA)	0.2	(NA)	(NA)	0.5	1.2		DHS	
Kenya												
1984	85.0	15.0	2.9	2.5	0.2	(Z)	1.9	0.5	6.9		CPS	
1989	76.8	23.2	4.6	3.0	0.4	(NA)	3.6	3.0	8.5		DHS	
1993	74.1	25.9	7.5	2.8	0.9	(NA)	3.9	5.6	5.2		DHS	
1998	70.1	29.9	6.5	1.9	1.5	(NA)	4.2	9.5	6.3		DHS	
Lesotho												
1991-92	77.0	23.0	7.0	3.0	1.0	(Z)	1.0	6.0	4.0		UN94	
Liberia												
1986	91.6	8.4	4.7	0.7	0.2	(Z)	1.0	0.4	1.4		DHS	
Madagascar												
1992	86.7	13.3	1.0	0.3	0.5	(NA)	0.6	1.1	9.9		DHS	
1997	84.0	16.0	1.9	0.3	0.7	(Z)	0.7	3.7	8.7		DHS	
Malawi												
1992	89.5	10.5	1.8	0.3	1.4	0.2	1.5	1.3	4.3		DHS	
1996	81.8	18.2	2.7	0.3	2.0	(NA)	2.3	4.9	6.1		DHS	
Mali												
1987	95.4	4.6	0.8	0.1	(Z)	(NA)	0.1	0.2	3.3		DHS	
1995-96	92.1	7.9	3.4	0.3	0.7	(NA)	0.2	0.4	2.9		DHS	
Mozambique												
1997	94.0	6.0	1.6	0.4	0.4	(NA)	0.7	2.2	1.0		DHS	

Table A-15

Percent of All Women Using Contraception, by Method: All Available Years

[Data refer to ages 15 to 49 years unless specified otherwise. Data by method may not add to all methods due to rounding.]

Region, country or area, and year	No method	All methods	Pill	IUD	Condom	Sterilization		Other modern	Traditi- onal	Other	Source	Remarks
						Male	Female					
Namibia												
1992	76.7	23.3	7.1	1.3	0.5	0.1	3.8	8.6	1.8		DHS	
Niger												
1992	95.6	4.4	1.5	0.2	0.1	(NA)	0.1	0.4	2.1		DHS	
1998	92.4	7.6	2.6	(NA)	0.1	(NA)	(NA)	1.6	3.2		DHS	
Nigeria												
1990	92.5	7.5	1.4	0.7	0.5	(NA)	0.2	0.9	3.8		DHS	
Rwanda												
1992	86.2	13.8	2.0	0.1	0.2	(NA)	0.4	5.8	5.3		DHS	
1996	86.3	13.7	2.4	(NA)	(NA)	(NA)	0.3	4.5	6.5		Survey	
Senegal												
1986	90.0	10.0	1.5	0.6	0.1	(NA)	0.2	0.2	7.4		DHS	
1992-93	92.9	7.1	2.0	1.2	0.7	(NA)	0.3	0.2	2.5		DHS	
1997	89.2	10.8	2.7	1.4	1.0	(NA)	0.4	1.5	3.8		DHS	
Swaziland												
1988	83.4	16.6	4.8	1.5	0.6	0.1	2.4	4.5	2.6		Survey	
Tanzania												
1991-92	90.5	9.5	3.0	0.3	0.7	(Z)	1.5	0.3	3.6		DHS	
1994	82.2	17.8	4.5	0.7	2.4	(NA)	1.6	2.1	6.4		DHS	
1996	83.9	16.1	4.8	0.5	1.3	(NA)	1.4	3.7	4.3		DHS	
1999	78.3	21.7	4.6	0.3	3.6	(Z)	1.4	5.4	6.4		DHS	
Togo												
1988	67.0	33.0	0.6	0.6	0.8	(NA)	0.6	1.0	29.5		DHS	
1998	74.7	25.3	1.1	0.8	3.4	(NA)	0.3	2.3	17.2		DHS	
Uganda												
1988-89	94.5	5.5	1.4	0.2	(Z)	(NA)	0.7	0.4	2.9		DHS	
1995	86.6	13.4	2.3	0.3	1.5	(NA)	1.2	2.0	6.0		DHS	
Zambia												
1992	88.4	11.6	3.5	0.4	1.4	(Z)	1.5	0.2	4.6		DHS	
1996	80.8	19.2	5.2	0.3	3.5	(Z)	1.4	0.8	7.9		DHS	
Zimbabwe												
1988	67.8	32.2	23.5	0.7	0.9	0.1	1.7	0.2	5.0		DHS	
1994	64.9	35.1	23.6	0.6	2.4	0.1	1.7	2.5	2.8		DHS	
ASIA												
Bhutan												
1994	81.0	19.0	2.0	1.0	0.3	8.0	3.0	4.0	(Z)		UN98	
Mongolia												
1998	55.8	44.2	3.0	23.3	2.8	(NA)	1.8	2.4	10.8		Survey	
Philippines												
1993	76.8	24.2	5.1	1.8	0.6	0.2	7.3	(Z)	9.0		DHS	
1995	71.0	29.0	6.4	2.0	0.6	0.1	5.1	0.4	14.4		Survey	
1996	70.5	29.5	7.1	2.3	1.0	0.1	6.1	1.0	11.4		Survey	
1997	72.1	27.9	7.4	1.8	1.0	0.1	6.4	1.3	10.0		Survey	
1998	71.8	28.2	5.9	2.2	1.0	0.1	6.4	1.4	11.1		DHS	
1999	71.1	28.9	7.7	2.0	1.0	0.1	6.4	1.6	10.2		Survey	
LATIN AMERICA AND THE CARIBBEAN												
Belize												
1985	57.1	42.9	14.9	1.8	2.0	0.1	11.0	2.3	10.8		Survey	1
1991	66.5	33.5	12.0	1.3	1.7	(NA)	12.3	2.9	1.8	1.6	Survey	2
Bolivia												
1989	80.1	19.9	1.2	3.1	0.2	(Z)	2.9	0.6	11.8		DHS	
1994	69.9	30.1	1.9	5.2	1.0	(NA)	3.1	0.6	18.3		DHS	

Table A-15

Percent of All Women Using Contraception, by Method: All Available Years

[Data refer to ages 15 to 49 years unless specified otherwise. Data by method may not add to all methods due to rounding.]

Region, country or area, and year	No method	All methods	Pill	IUD	Condom	Sterilization	Other modern	Traditional	Other	Source	Remarks
						Male	Female				
1998	68.6	31.4	2.5	7.0	2.0	(NA)	4.1	0.9	15.0	DHS	
Brazil											
1986	56.5	43.5	17.0	0.7	1.1	0.5	17.2	0.8	6.2	DHS	2
1996	44.6	55.4	15.8	0.8	4.3	1.6	27.3	1.2	4.3	DHS	
Colombia											
1986	61.1	38.9	9.9	6.7	1.0	0.2	11.1	3.1	7.1	DHS	
1990	60.1	39.9	8.4	7.4	1.7	0.3	12.7	2.4	6.9	DHS	
1995	51.9	48.1	8.5	7.4	3.2	0.4	16.9	3.2	8.6	DHS	
Dominican Republic											
1986	69.0	31.0	5.4	2.0	0.8	(Z)	20.7	0.3	1.9	DHS	
1991	63.2	36.8	6.1	1.3	0.8	(NA)	25.4	0.4	3.0	DHS	
1996	55.4	44.6	8.4	2.0	1.2	(NA)	28.6	1.2	3.3	DHS	
Ecuador											
1987	71.0	29.0	5.6	6.2	0.4	(Z)	10.1	1.2	5.5	DHS	
1989	66.0	34.0	5.4	7.6	0.9	(NA)	11.9	0.8	7.4	CDC	
1994	64.7	35.3	6.2	7.4	1.6	(NA)	12.4	0.7	7.0	CDC	
El Salvador											
1988	68.7	31.3	4.4	1.5	1.4	0.3	20.9	0.8	2.0	Survey	2
1993	66.2	33.8	5.0	1.3	1.3	0.2	20.8	2.2	3.0	CDC	2
1998	61.7	38.3	4.8	1.0	1.6	(NA)	21.9	5.2	3.4	CDC	2
Guatemala											
1987	83.8	16.2	2.7	1.2	0.8	0.6	7.5	0.6	2.8	DHS	2
1995	78.6	21.4	2.6	1.7	1.5	0.9	10.0	1.6	2.9	DHS	
Haiti											
1989	93.4	6.6	2.6	0.4	0.3	(NA)	1.7	1.1	0.5	CDC	
1994-95	87.7	12.3	1.9	(NA)	2.3	1.6	2.1	2.7	3.2	DHS	
Jamaica											
1989	57.4	42.6	14.5	1.2	7.0	0.1	11.0	6.1	2.7	CDC	
1993	51.7	48.3	16.4	0.7	13.8	(NA)	9.9	4.9	2.8	CDC	2
1997	49.7	50.3	15.3	0.8	13.6	0.1	10.0	8.3	2.2	CDC	
Nicaragua											
1981	79.8	20.2	7.9	1.7	0.6	0.1	5.3	1.4	3.2	CPS	
1992-93	66.2	33.8	8.3	6.5	1.7	0.2	13.9	0.9	2.4	CDC	
1998	59.2	40.8	8.7	6.3	1.6	0.3	18.6	3.4	1.6	DHS	
Paraguay											
1990	67.3	32.7	8.8	3.7	1.7	(Z)	4.8	4.5	9.1	DHS	
1995-96	59.4	40.6	9.4	5.1	5.2	(Z)	4.5	5.4	11.0	CDC	2
1998	55.6	44.4	8.7	7.3	6.2	(Z)	5.2	6.3	10.6	CDC	
Peru											
1986	72.0	28.0	4.0	4.4	0.4	(Z)	3.7	1.6	13.9	DHS	
1991-92	64.3	35.7	3.6	7.8	1.9	0.1	4.7	1.7	15.8	DHS	
1996	59.1	40.9	4.0	7.6	3.1	0.2	5.9	5.7	14.6	DHS	
Trinidad and Tobago											
1987	62.6	37.4	9.9	3.2	8.3	0.1	6.0	4.1	5.9	DHS	
EUROPE AND THE NEW INDEPENDENT STATES											
Western Europe											
Finland											
1994	25.6	74.4	29.0	17.2	18.7	0.9	7.0	0.1	0.9	0.1	Survery
United Kingdom											
1989	28.0	72.0	25.0	6.0	16.0	12.0	11.0	1.0	6.0	1.0	UN94
1993	18.0	82.0	23.0	6.0	18.0	18.0	14.0	3.0	4.0	1.0	UN98
											2,4 4,5

Table A-15

Percent of All Women Using Contraception, by Method: All Available Years

[Data refer to ages 15 to 49 years unless specified otherwise. Data by method may not add to all methods due to rounding.]

Region, country or area, and year	No method	All methods	Pill	IUD	Condom	Sterilization		Other modern	Traditi- onal	Other	Source	Remarks
						Male	Female					
Eastern Europe												
Czech Republic 1993	40.9	59.1	7.7	11.6	17.6	(NA)	1.9	0.3	20.1		CDC	
New Independent States												
Commonwealth of Independent States												
Kazakhstan 1995	56.7	43.3	1.5	27.9	3.4	(NA)	(NA)	0.8	9.6		DHS	
Kyrgyzstan 1997	57.2	42.8	1.2	27.6	4.1	(NA)	1.4	1.0	7.5		DHS	
Uzbekistan 1996	60.4	39.6	1.2	32.6	1.2	(NA)	0.5	1.0	3.0		DHS	6
NORTH AMERICA												
Canada 1984	31.6	68.4	19.2	5.7	6.2	8.7	24.1	1.7	2.8	Survey		7

NA Data not available.

Z Less than 0.05 percent.

Note: Data refer to all women ages 15 to 49 years unless coverage is unknown or is otherwise specified in the remarks. Figures shown for traditional methods may include modern methods not reported separately. Countries with no data available are omitted from the table. Direct access to this table and the International Data Base is available through the Internet at <www.census.gov/ipc/www>.

Remarks:

1. Data refer to ages 15 to 47 years.
2. Data refer to ages 15 to 44 years.
3. Data refer to ages 18 to 44 years.
4. Sum of method-specific rates exceeds total prevalence rate because some women reported using more than one method.
5. Data refer to ages 16 to 49 years.
6. "Other modern" includes injection, diaphragm, and female sterilization.
7. Data refer to ages 18 to 49 years.

Source: U.S. Census Bureau, International Programs Center, unpublished tables. Sources are as follows:

CDC - Centers for Disease Control family health, contraceptive prevalence, or other health survey data.

CPS - Contraceptive Prevalence Survey program data (Westinghouse Health Systems or the Centers for Disease Control).

DHS - Demographic and Health Survey data.

Survey - A nationwide survey conducted by a national government or independent organization, but not related to CPS, DHS, or WFS.

Internet Release date: March 22, 2004